



Centrum stavebního inženýrství a.s. Praha,
Centre of Building Engineering Prague, Laboratory in Prague
Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Certifikační orgán
Accredited Test Laboratory, Authorised Body, Notified Body, Certification Body
Pražská 16, 102 21 Praha 10, The Czech Republic

EC - CERTIFICATE OF CONFORMITY

1390 – CPD – 0146/09/P

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

Factory made mineral wool product ROCKWOOL used for thermal insulation of buildings

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162
MULTIROCK 35 d = 40 – 49 mm d = 50 – 99 mm d = 100 – 220 mm	0,035	A1	MW-EN 13162 – T2 - WS - MU1 MW-EN 13162 – T2 - WS - AW 0.75 - MU1 MW-EN 13162 – T2 - WS - AW 0.95 - MU1

placed on the market by :

ROCKWOOL Polska, Sp.z o.o.
ul. Kwiatowa 14
66-131 Cigacice, Poland

and produced in the factory :

Zakład w Malkini
ul. Jana III. Sobieskiego
07- 320 Malkinia
(production line MAL 7)

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body 1390 - Centrum stavebního inženýrství a.s. - has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

EN 13 162 : 2001

and Annex B and C of the standard EN 13 172 : 2001 / A1

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on < 27. 02. 2009 > and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Notified Body 1390
Prague, 27. 02. 2009



Ing. Petr Kučera, CSc.
Deputy of Notified Body 1390